



SOONLINMAS
SDN BHD

SOONLINMAS PRODUCT BROCHURE



HARDWOOD PLYWOOD

Product Specification

STANDARD THICKNESS

3.0mm | 3.6mm | 5mm | 9mm | 12mm |
15mm | 18mm | 24mm

STANDARD DIMENSION

1220 mm x 2440 mm
915 mm x 2135 mm (Door Size Dimension)

GRADE

BB/CC | UTB | UTY

COMPOSITION

Full Hardwood

GLUE TYPE

WBP | T 1.5 | MR



FALCATA PLYWOOD

Product Specification

STANDARD THICKNESS

3.0mm | 3.6mm | 5 mm | 9mm | 12mm | 15mm | 18mm

STANDARD DIMENSION

1220 mm x 2440 mm

GRADE

UTB | UTE | UTY

COMPOSITION

Full Falcata

GLUE TYPE

MR



COMBINATION PLYWOOD

Product Specification

STANDARD THICKNESS

3mm | 3.6mm | 5mm | 9mm | 12mm | 18mm

STANDARD DIMENSION

1220 mm x 2440 mm

GRADE

UTB | UTY

GLUE TYPE

MR

COMPOSITION

Combination of Hardwood and Lightweight Falcata Wood



LAMINBOARD

Product Specification

STANDARD THICKNESS

16 mm

COMPOSITION

Full Hardwood

STANDARD DIMENSION

1220 mm x 2440 mm

GRADE

BB/CC

GLUE TYPE

MR



FILM FACE PLYWOOD

Product Specification

STANDARD THICKNESS

12mm | 18mm

NUMBER OF SIDE

Single or Double Sided

STANDARD DIMENSION

1220 mm x 2440 mm

CORE COMPOSITION

Hardwood

GLUE TYPE

WBP



VIETNAM PLYWOOD

Product Specification

STANDARD THICKNESS

9mm | 12mm | 18mm

STANDARD DIMENSION

1220 mm x 2440 mm

CORE COMPOSITION

Full Hardwood

GLUE TYPE

T1.5



MARINE PLYWOOD

Product Specification

STANDARD THICKNESS

6mm | 9mm | 12mm | 15mm | 18mm

STANDARD DIMENSION

1220 mm x 2440 mm

GRADE

BB/CC

COMPOSITION

Full Meranti or Full Keruing

GLUE TYPE

WBP



BENDING PLYWOOD

Product Specification

STANDARD THICKNESS

5mm | 9mm

STANDARD DIMENSION

1220 mm x 2440 mm

COMPOSITION

Full Falcata / Full Hardwood

GRADE

UTB

GLUE TYPE

MR

FANCY PLYWOOD

Product Specification

STANDARD THICKNESS

3.6mm

STANDARD DIMENSION

1220 mm x 2440 mm

VENEER OPTION

Nyatoh, Wenge, Teak, Sen,
White Oak, Semangkok, Kasah, and Maple

GLUE TYPE

MR



BLOCKBOARD

Product Specification

STANDARD THICKNESS

12mm | 15mm | 18mm | 39mm

STANDARD DIMENSION

1220 mm x 2440 mm

1220 mm x 2200 mm (only for 39 mm*)



*39mm suitable for door fabrication.

GRADE

BB/CC | UTB | UTE

COMPOSITION

Full Falcata



ACACIA BOARD

Product Specification

STANDARD THICKNESS

18mm

STANDARD DIMENSION

1220 mm x 2440 mm

FINGER JOINT DIRECTION

Longitudinal

SURFACE TREATMENT

Double-sided sanding

PINE BOARD

Product Specification

STANDARD THICKNESS

18mm

STANDARD DIMENSION

1220 mm x 2440 mm

GRADE

A (without knot) & B (with knot)

SURFACE TREATMENT

Double-sided sanding



RUBBERWOOD BOARD

Product Specification

STANDARD THICKNESS

18mm

STANDARD DIMENSION

1220 mm x 2440 mm

SURFACE FINISHING

Double-sided sanding



FEATHER BOARD

Product Specification

STANDARD THICKNESS

18mm

STANDARD DIMENSION

1220 mm x 2440 mm

GRADE

A



FIR BOARD

Product Specification

STANDARD THICKNESS

18mm

STANDARD DIMENSION

1220 mm x 2440 mm

GRADE

AB

SURFACE FINISHING

Both Side Sanded



ORIENTED STRAND BOARD

Product Specification

STANDARD THICKNESS

9mm | 12mm | 18mm

STANDARD DIMENSION

1220 mm x 2440 mm

COMPOSITION

Pine Wood



PARTICLE BOARD

Product Specification

STANDARD THICKNESS

18mm

STANDARD DIMENSION

1220 mm x 2440 mm

COMPOSITION

Hardwood

MELAMINE BOARD

Product Specification



Scan for
more details

Substrate	Size	Thickness (mm)
Blockboard	4ft x 8ft	18
Plywood	4ft x 8ft 3ft x 7ft	3, 3.6



ENVPLAS® FURNITURE BOARD

Product Specification

STANDARD THICKNESS

3mm | 5mm | 16mm | 18mm

STANDARD DIMENSION

1220mm x 2440mm



FOAM BOARD

Product Specification

STANDARD THICKNESS

18mm

STANDARD DIMENSION

1220mm x 2440mm

COLOUR OPTION

White

ALUMINIUM HONEY COMB PANEL

Product Specification



Scan for more details
(Aluminium Honey Comb Panel)



PVC LAMINATED BOARD

Product Specification



Scan for more details

SUBSTRATE	SIZE	THICKNESS (mm)
Plywood	4FT X 8FT	3, 3.6, 5, 9, 12
Blockboard	4FT X 8FT	15, 18
MDF	4FT X 8FT	12, 15, 18
Laminboard	4FT X 8FT	16, 18
Particle Board	4FT X 8FT	18



POLYESTER LAMINATED PLYWOOD

Product Specification

SUBSTRATE	SIZE	THICKNESS (mm)
Plywood	4FT X 8FT	3, 3.6, 5, 9, 12
Blockboard	4FT X 8FT	15, 18
MDF	4FT X 8FT	12, 15, 18
Laminboard	4FT X 8FT	16, 18
Particle Board	4FT X 8FT	18



Scan for more details

EDGE BAND

Product Specification

Matching colour with our PVC board, Melamine board & Furniture board

Width: 1 inch or 2 inch



GYPSUM BOARD

Product Specification

STANDARD THICKNESS

9mm | 12mm

STANDARD DIMENSION

1220 mm x 2440 mm

PLAIN BOARD COLOUR

Grey White

CERTIFICATIONS

Greenlabel Singapore , TKDN



Gypsum board laminated
(Only for 12mm)



Yoshino
Compound



Yoshino
GL Bond



Metal Stud



Furring Channel

GYPSUM BOARD ACCESSORIES

Product Specification

TYPE	DETAILS
YOSHINO Compound	20kg per pack
YOSHINO GL Bond	20kg per pack
Metal Stud	1" x 2" x 8ft 1" x 3" x 8ft (0.35mm Thickness)
Furring Channel	30 x 9 x 3600mm (0.26mm Thickness)

DOOR

Product Specification

- Moulded Door
- Plywood Door
- PVC Laminated Door
- Door accessories:
-Door frame, lock set etc.



SCAN FOR
MORE DETAILS



MDF BOARD

Product Specification

STANDARD THICKNESS

2.5mm | 4.5mm | 6.0mm | 9.0mm | 12mm | 15mm | 18mm

STANDARD DIMENSION

1220 mm x 2440 mm

COMPOSITION

Tropical Hardwood



HMR BOARD

Product Specification

STANDARD THICKNESS

6mm | 9mm | 12mm | 15mm | 18mm

STANDARD DIMENSION

1220 mm x 2440 mm

THAILAND HARDBOARD

Product Specification

STANDARD THICKNESS


2.5 mm

STANDARD DIMENSION

1220 mm x 2440 mm

COMPOSITION

Face & Back = Full Hardwood



PEG BOARD

Product Specification

STANDARD THICKNESS

4mm

STANDARD DIMENSION

1220 mm x 2440 mm

COMPOSITION

Hardwood MDF

SOFTBOARD

Product Specification

STANDARD THICKNESS

10mm | 12mm

STANDARD DIMENSION

1220 mm x 2440 mm

COMPOSITION

Soft Wood Fiber



FIBRE CEMENT BOARD (PRIMA)

Product Specification

SCAN FOR
MORE DETAILS

PRIMA VENT	THICKNESS : 3.2mm, 4.5mm DIMENSION : 1220mm x 2440mm
PRIMA LINER	THICKNESS : 6mm 9mm 12mm DIMENSION : 1220mm x 2440mm
PRIMA PLANK	THICKNESS : 7.5mm 9mm DIMENSION : 230mm x 3660mm
PRIMA FLEX	THICKNESS : 3.2MM 4.5MM 6MM 9MM 12MM 15MM 18MM DIMENSION : 1220MM X 1220MM 1220mm x 2440mm



CEMENT BOARD (SCG)

Product Specification

STANDARD THICKNESS

6.0mm | 9.0mm | 12mm | 16mm | 18mm

STANDARD DIMENSION

1220 mm x 2440 mm



SCAN FOR
MORE DETAILS



SMART BOARD (SCG)

Product Specification

STANDARD THICKNESS

6mm | 9mm | 12mm | 16mm | 18mm


STANDARD DIMENSION

1220 mm x 2440 mm



SCAN FOR MORE
DETAILS (SCG)

 **SCG** SMART BOARD



6 mm 9 mm 12 mm 16 mm 18 mm



SOLIDPANEL



SOLERWALL



VISTABORD & FLEXABORD



SOLIDWALL



DECOWOOD



PLANK / PLANK SHIPLAP



DURAVENT

CEMENT BOARD (UAC)

Product Specification

- Solid Panel
- Solid Wall
- Super Flex
- Vistabord & Flexabord
- Decowood
- Plank
- Plank Shiplap
- Duravent



SCAN FOR
MORE DETAILS
(UAC)

MOULDING & SKIRTING

Product Specification

- PVC Series Skirting
- Aluminium Series Skirting



SCAN FOR
MORE DETAILS



GREENLAM & DBEST HPL

Product Specification



SCAN FOR
MORE DETAILS
(DBest)



VIRGO HPL

Product Specification



SCAN FOR
MORE DETAILS
(Virgo)



*Available size: 4' x 8', 4' x 10'



TOILET CUBICLE

Product Specification

Tailored specifically for your project. Customize the color, size, and style to suit your requirements.

Thickness of compact panel: 12mm

Accessories material option: Nylon, Stainless steel



SCAN FOR MORE DETAILS
(Toilet Cubicle)



LAMIVAA COMPACT

Product Specification

STANDARD SIZE

4 FT X 10FT

4 FT X 12FT

STANDARD THICKNESS

6mm | 12mm



SCAN FOR MORE DETAILS
(Lamivaa Compact)



Optional size

*customized size available upon project request



TIP TOP




Product Specification

STANDARD THICKNESS


20mm | 38mm

STANDARD DIMENSION

2ft x 10ft



20mm Thick



38mm Thick



PU STONE

Product Specification

STANDARD THICKNESS

600mm x 1200mm



SCAN FOR
MORE DETAILS



UV DECORATIVE BOARD

Product Specification

STANDARD THICKNESS

3 mm

STANDARD DIMENSION

1220mm x 2440mm

1220mm x 2900mm

1220mm x 3050mm



SCAN FOR
MORE DETAILS



FLUTED PANEL

Product Specification



SCAN FOR
MORE DETAILS



SOFT STONE

Product Specification

STANDARD THICKNESS

0.3mm

STANDARD DIMENSION

600mm x 900mm

WEIGHT

2.5kg approximately



SCAN FOR
MORE DETAILS



Light-Cream
(Half transmittance)



Grey
(Light-Proof)

ADHESIVE & SEALING

Product Specification

X'traseal Silicone (SA 103)

Bestcoat Bond 3000

X'traseal Acrylic Silicone

Dunlop Ecobond

X'traseal X'Bond

Jebbond

X'traseal Silicone (SA-117)

NS 999 White Glue



ACCESSORIES

Product Specification

- Hinges
- ST Drawer Lock
- Gas Spring
- Door Closer
- S/ Steel Hinges
- Full Extension Drawer Slide NJ3029
- Full Extension Soft Closing Slide
- Chrome Pipe
- Screw
- Nail (T, F)
- Staple J
- Laminate cutter
- Trimmer
- Double bearing
- Lock set
- Tubular Lever Lock
- Handle Lock Set(JTC)



FINGER JOINT & CEILING LIST

Product Specification

Finger Joint

Size: 18mm × 40mm × 3050mm
18mm × 40mm × 3660mm

Ceiling List

Size: 7mm × 30mm × 3660mm



TIMBER

Product Specification

Tailored specifically for your project. We supply various size and wood species to suit your requirements.

ZINC CORRUGATED SHEET

Product Specification

6' 35g Galvalume

600pcs/ Bundle

8' 35g Galvalume

500pcs/ Bundle

10' 35g Galvalume

400pcs/ Bundle

12' 35g Galvalume

300pcs/ Bundle



ROUND BAR

Product Specification

R6 x 12m

320 pcs/ Bundle

R8 x 12m

150 pcs/ Bundle

R10 x 12m

138 pcs/ Bundle



HTD BAR (HIGH TENSILE DEFORMED BAR)

Product Specification

T10 x 12m

138pcs/ Bundle

T25 x 12m

22pcs/ Bundle

T12 x 12m

96pcs/ Bundle

T32 x 12m

14pcs/ Bundle

T16 x 12m

54pcs/ Bundle

T20 x 12m

34pcs/ Bundle

BRICK

Product Specification

Red Brick

611pcs/ Bundle

Cement Brick

600pcs/ Pallet

604pcs/ Bundle



PORTLAND CEMENT

Product Specification

- 50kg/ pack



BRC

Product Specification

- 65C (4.0mm)
- 66C (3.6mm)
- Other option available upon request

Size per piece packed in roll

1.9m x 45m

BMC

Product Specification

Size per sheet

2m x 4.8m

- A6
- A7
- A8
- A9
- A10

*A6= Diameter 6mm



Thank You.

We appreciate the opportunity to support your projects with reliable materials and consistent supply.



FOR MORE INFORMATION, PLEASE CONTACT: